Sheet 1 of 5 Attorney Docket No.: GENITOPE-06493 FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office Serial No.: 09/925,192 (Modified) DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) INFORMATION Applicant: Dan W. Denney, Jr. (37 CFR § 1.98(b)) Filing Date: 08/09/01 Group Art Unit: 1642 U.S. PATENT DOCUMENTS Examiner Serial / Patent Number Issue Date Class Subclass Filing Date Applicant / Patentee Initials CY 1 10/10/90 5,122,464 06/16/92 Wilson et al. 435 172.3 4,683,195 07/28/87 Mullis et al. 435 6 02/07/86 3 4,683,202 07/28/87 Mullis 435 91 10/25/85 4 4,965,188 10/23/90 Mullis et al. 435 6 06/17/87 5 4,656,134 04/07/87 435 91 04/12/85 Ringold 6 5,043,270 08/27/91 Abrams et al. 435 69.1 03/31/89 7 4,399,216 08/16/83 Axel et al. 435 6 02/25/80 8 4,634,665 01/06/87 Axel et al. 435 68 08/11/83 CY 9 5,179,017 01/12/93 Axel et al. 435 240.2 06/18/91 FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS Translation Document **Publication Date** Country / Patent Office Class Subclass Yes No 10 94/08601 04/28/94 A61K 37/00 **PCT** 11 91/13632 09/19/91 **PCT** A61K 39/00 OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Walls et al., (1989) "Amplification of Muticistronic Plasmids in the Human 293 Cell Line and Secretion of Correctly Processed Recombinant Human - Protein C," Gene 81:139-149; CT 12 13 Maniatis et al., (1987) "Regulation of Inducible and Tissue-specific Gene Expression," Science 236:1237-1244; 14 Voss et al., (1986) "The Role of Enhancers in the Regulation of Cell-Type-Specific Transcriptional Control," Trends Biochem. Sci. 11:287-289; 15 Dijkema et al., (1985) "Cloning and Expression of the Chromosomal Immune Interferon Gene of the Rat," EMBO J. 4:761-767; Uetsuki et al., (1989) "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α," J. Biol. Chem. 264:5791-5798; 16 17 Kim et al., (1990) "Use of the Human Elongation Factor 1α Promoter as a Versatile and Efficient Expression System," Gene 91:217-223; Mizushima and Nagata, (1990) "pEF-BOS, A Powerful Mammalian Expression Vector," Nuc. Acids. Res., 18:5322; 18 Gorman et al., (1982) "The Rous Sarcoma Virus Long Terminal Repeat is a Strong Promoter When Introduced into a Variety of Eukaryotic Cells by DNA-mediated Transfection," Proc. Natl. Acad. Sci. USA 79:6777-6781; 19 Boshart et al., (1985) "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530; 20 Sambrook et al., (1989) Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, New York pp. 16.6-16.8, 7.26-7.29, 9.16-9.23: 21 22 Schmike et al., (1978) "Gene Amplification and Drug Resistance in Cultured Murine Cells," Science 202:1051-1055; 23 Kaufman, (1990) "Selection and Coamplification of Heterologous Genes in Mammalian Cells," Methods in Enzymol., 185:537-565; 24 Bird et al., (1988) "Single-Chain Antigen-Binding Proteins," Science 242:423-426; Huston et al., (1988) "Protein engineering of antibody binding sites: Recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in Escherichia coli," Proc. Natl. Acad. Sci USA 85:5879-5883; 25 Bebbington et al., (1992) "High-Level Expression Of A Recombinant Antibody From Myeloma Cells Using A Glutamine Synthetase Gene As An Amplifiable Selectable Marker," Bio/Technology 10:169-175; CY26

**EXAMINER:** 

Examiner

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date Considered:

3/08



FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attomey Docket No.: GENITOPE-

Applicant: Dan W. Denney, Jr.

Serial No.: 09/925,192

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

(37 CFR § 1.98(b)) Group Art Unit: 1642 Filing Date: 08/09/01 OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Dorai and Moore, (1987) "The Effect of Dihydrofolate Reductase-Mediated Gene Amplification on the Expression of Transfected Immunoglobulin Genes," J. Immunol. 139:4232-4241; CY 27 28 Ausubel et al., (1995) Current Protocols in Molecular Biology, John Wiley & Sons, Inc., at 9.3.1 to 9.3.6; 29 Dijkema et al. (1985) "Cloning and expression of the chromosomal immune interferon gene of the rat," EMBO J. 4:761-767; Takebe et al., (1988) "SRα Promoter: An Efficient and Versatile Mammalian cDNA Expression System Composed of the Simian Virus 40 Early Promoter and the R-U5 Segment of Human T-Cell Leukemia Virus Type 1 Long Terminal Repeat," Mol. Cell. Biol., 8:466-472; 30 Boshart et al., (1985) "A Very Strong Enhancer Is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530; 31 Graham, F.L. et al., (1977) "Characteristics of a Human Cell Line Transformed by DNA From Human Adenovirus Type 5," J. Gen. Virol., 36:59-72; 32 33 Harrison, T. et al., (1977) "Host-Range Mutants of Adenovirus Type 5 Defective for Growth in HeLa Cells," Virology 77:319-329; 34 Graham, F.L. et al., (1978) "Defective Transforming Capacity of Adenovirus Type 5 Host-Range Mutants," Virology 86:10-21; Laimins et al., (1984) "Host-Specific Activiation of Transcription by Tandem Repeats from Simian Virus 40 and Moloney Murine Sarcoma Virus," Proc. Natl. Acad. Sci. USA 79:6453-6457; 35 Bimboim and Doly, (1979) "A Rapid Alkaline Extraction Procedure for Screening Recombinant plasmid DNA," Nuc. Acids. Res., 7:1513-1523; 36 Kaufman and Sharp, (1982) "Amplification and Expression of Sequences Cotransfected with a Modular Dihydrofolate Reductase Complementary DNA Gene," J. Mol. Biol. 159:601-621; 37 Kaufman et al., (1985) "Coamplification and Coexpression of Human Tissue-Type Plasminogen Activator and Murine Dihydrofolate Reductase Sequences in Chinese Hamster Ovary Cells," Mol. Cell. Biol. 5:1750-1759; 38 Toneguzzo et al., (1988) "Electric Field-Mediated Gene Transfer: Characterization of DNA Transfer and Patterns of Integration In Lymphoid Cells," Nucl. Acid Res. 16:5515-5532; 39 Calos et al., (1983) "High Mutation Frequency in DNA Transfected Into Mammalian Cells," Proc. Natl. Acad. Sci. USA 80:3015-3019; 40 41 Kopchick and Stacey, (1984) "Differences In Intracellular DNA Ligation After Microinjection and Transfection," Mol. Cell. Biol. 4:240-246; 42 Wake et al. (1984) "How Damaged is sThe Biologically Active subpopulation of Transfected DNA?," Mol. Cell. Biol. 4:387-398; 43 Lebkowski et al., (1984) "Transfected DNA Is Mutated in Monkey, Mouse, and Human Cells," Mol. Cell. Biol. 4:1951-1960; Drinkwater and Klinedinst, (1986) "Chemically Induced Mutagenesis In A Shuttle Vector With A Low-Background Mutant Frequency," Proc. Natl. Acad. Sci. USA 83:3402-3406; 44 Rice and Baltimore, (1982) "Regulated Expression Of An Immunoglobulin K Gene Introduced into A Mouse Lymphoid Cell Line," Proc. Natl. Acad. Sci. USA 79:7862-7865; 45 46 Oi et al., (1983) "Immunoglobulin Gene Expression in Transformed Lymphoid Cells," Proc. Natl. Acad. Sci. USA 80:825-829; Potter et al., (1984) "Enhancer-Dependent Expression of Human K Immunoglobulin Genes Introduced Into Mouse pre-B Lymphocytes by Electroportation" Proc. Natl. Acad. Sci. USA 81: 7161-7165; 47 Boggs et al., (1986) "Efficient Transformation and Frequent Single-Site, Single-Copy Insertion of DNA Can Be Obtained in Mouse Erythroleukemia Cells Transformed by Electroportation" Exp. Hematol. 14:988-994; 48 Toneguzzo et al., (1986) "Electric Field-Mediated DNA Transfer: Transient and Stable Gene Expression in Human and Mouse Lymphoid Cells," Mol. Cell. Biol. 6:703-706; 49 Toneguzzo and Keating, (1986) "Stable Expression of Selectable Genes Introduced Into Human Hematopoietic Stem Cells By Electric Field-Mediated DNA Transfer," Proc. Natl. Acad. Sci. USA 83:3496-3499; 50 51 Chu et al., (1987) "Electroportation For The Efficient Transfection of Mammalian Cells With DNA," Nucl. Acids Res. 15:1311-1326; Moore et al., (1993) "Interleukin-10," Ann. Rev. Immunol. 11: 165-190; 08 Examiner: Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

MON 0 8 5001

U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATE WAREL APPLICANT FORM PTO-1449 (Modified)

Attorney Docket No.: GENITOPE-06493

Serial No.: 09/925,192

INFORMATION DISCLOSURE STATEMENT APPLICANT (Use Several Sheets If Necessary)			Applicant: Dan W. Denney, Jr.			
7 CFR § 1.9			Filing Date: 08/09/01	Group Art Unit: 1642		
		OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)			
CY	53	Mosmann, (1994) "Properties and Functions of Interleukin-10"	Advances in Immunol. 56:1-26;			
Bromberg, (1995) "IL-10 Immunosuppression in Transplantation," Curr. Op. Immunol. 7:639-643;						
	Sharma et al., (1991) "Antigen-Specific Therapy of Experimental Allergic Encephalomyelitis by Soluble Class II Ma Complex-Peptide Complexes" Proc. Natl. Acad. Sci. USA 88:11465-11469;					
	56	Tonegawa, (1983) "Somatic generation of antibody diversity," Nature 302:575-581;				
	Teilland et al., (1983) "Monoclonal Antibodies Reveal the Structural Basis of Antibody Diversity," Science 222:721-726;					
	58 Griffiths et al., (1984) "Somatic mutation and the maturation of immune response to 2-phenyl oxazolone," Nature 312:271-275;  59 Clarke et al., (1985) "Inter- and Intraclonal Diversity in the Antibody Response to Influenza Hemagglutinin," J. Exp. Med. 161:687					
	60	Cleary et al. (1986) "Clustering of Extensive Somatic Mutations in the Variable Region of an Immunoglobulin Heavy Chain Gene from a Human B Cell Lymphoma," Cell 44:97;				
	61	Levy et al. (1988) "Mutational Hot Spots in Ig V Region Genes of Human Follicular Lumphomas," J. Exp. Med. 168:475-489;				
	62 Bahler and Levy, (1992) "Clonal evolution of a follicular lymphoma: Evidence for antigen selection," Proc. Natl. Acad. Sci.					
	63	Zelentz et al., (1992) "Clonal Expansion in Follicular Lymphoma Occurs Subsequent to Antigenic Selection," J. Exp. Med. 176:1137-1148;				
	64	Zhu et al., (1994) "Clonal history of a human follicular lymphon 86:505-512;	na as revealed in the immunoglobulin varial	ole region genes," Brit. J. Haemate		
	65	Okayama and Berg, (1983) "A cDNA Cloning Vector That Perm 289;	its Expression of cDNA Inserts in Mammal	ian Cells," Mol. Cell. Biol., 3:280		
	66	Shinnick et al., (1981) "Nucleotide Sequence of Moloney Murine Leukaemia Virus," Nature 293:543-548;				
	67	Allison et al., (1982) "Tumor-Specific Antigen of Murine T-Lymphoma Defined with Monoclonal Antibody," J. Immunol., 129:2293-2300;				
	68	Huynh, et al., (1985) "Constructing and Screening cDNA Libraries in λgt10 and λgt1 in DNA Cloning: A Practical Approach ed.), Vol. 1, IRL Press Oxford, pp. 49-78;				
	Jolly et al., (1983) "Isolation and Characterization of a Full-Length Expressable cDNA for Human Hypoxanthine Phos Proc. Natl. Acad. Sci. USA 80:477-481;			thine Phosphoribosyltransferase,"		
	70	Saiki et al., (1988) "Primer-Directed Enzymatic Amplfication of DNA with a Thermostable DNA Polymerase," Science 239:487-491;				
	Elliott et al., (1990) "Genes for Plasmodium Falciparum Surface Antigens Cloned by Expression in COS Cells," Proc. Natl. 87:6363-6367;					
	72	Seed, (1987) "An LFA-3cDNA Encodes a Phospolipid Linked M	embrane Protein Homologous To Its Recep	tor CD2," Nature 329:840-842;		
	73	Moore et al., (1990) "Homology of Cytokine Synthesis Inhibitory 1234;	y Factor (IL-10) To The Epstein-Barr Virus	Gene BCRF1," Science 248:1230-		
	74	Hoopes and McClure, (1988), "Studies on the Selectivity of DNA	A Precipitation by Spermine," Nucleic Acids	Res. 9:5493-5504;		
	75	Caras et al., (1987) "Cloning Of Decay-Accelerating Factor Sugg	sests Novel Use Of Splicing To Generate Tv	vo Proteins," <i>Nature</i> 325:545-548		
	76	Caras et al., (1987) "Signal For Attachment of a Phospolipid Met	mbrane Anchor in Decay Accelerating Factor	or," Science 238:1280-1282;		
	77	Kupke et al., (1989) "Improved Purification and Biochemical Pro Thuringiensis" Eur. J. Biochem. 185:151-155;	operties of Phosphatidylinositol-Specific Ph	ospholipase C From Bacillus		
CY	78	Stetler et al., (1982)"Isolation of a cDNA Clone for the Human H Hybridization Probe," <i>Proc. Natl. Acad. Sci. USA</i> 79:5966-5970;	ILA-DR Antigen α Chain by Using a Synth	etic Oligonucleotide as a		
miner: (		/) HY	Date Considered: 2/3/08			

with next communication to applicant.

Sheet 4 of 5 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATES APPLICANT (Use Several Sheets If Necessary) § 1.98(b)) Attorney Docket No.: GENITOPE-06493 FORM PTO-1449 (Modified) Serial No.: 09/925,192 Applicant: Dan W. Denney, Jr. Group Art Unit: 1642 (37 CFR § 1.98(b)) Filing Date: 08/09/01 OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Kunkel et al., (1987) "Rapid and Efficient Site-Specific Mutagenesis Without Phenotypic Selection," Methods in Enzymology 154:367-382; 79 80 Russel et al., (1986) "An Improved Filamentous Helper Phage for Generating Single-Stranded Plasmid DNA," Gene 45:333-338; Bell et al., (1985) "DNA Sequence and Characterization of Human Class II Major Histocompatibility Complex β Chains From the DRI Haplotype," Proc. Natl. Acad. Sci. USA 82:3405-3409; 81 Mosmann et al., (1990) "Isolation of Monoclonal Antibodies Specific for IL-4, IL-5, IL-6, and a New Th2-Specific Cytokine (IL-10), Cytokine Synthesis Inhibitory Factor, By Using a Solid Phase Radioimmunoadsorbent Assay," J. Immunol. 145:2938-2945; 82 Cloning by Limiting Dilution, in Current Protocols in Immunology (J.E. Coligan et al., eds.) John Wiley & Sons, New York, section 2.5.10-2.5.11; (1987) 83 Lampson and Levy (1980) "Two Populations of la-Like Molecules on a Human B Cell Line," J. Immunol., 125:293-299; 84 85 Harlow and Lane, (1988) eds., Antibodies: A Laboratory Manual, Cold Spring Harbor Press, New York, pp. 272, 276, 341; Kwak et al., (1992) "Induction of Immune Responses in Patients With B-Cell Lymphoma Against The Surface-Immunoglobulin Idiotype Expressed By their Tumors," N. Engl. J. Med. 327:1209-1215; 86 Hsu et al., (1996) "Vaccination of Patients with B-Cell Lymphoma Using Autologous Antigen-Pulsed Dendritic Cells," Nature Med. 2:52-58; 87 Cosson and Bonifacino, (1992) "Role of Transmembrane Domain Interactions in the Assembly of Class II MHC Molecules," Science 258:659-662; 88 Vu et al., (1991)"Molecular Cloning of a Functional Thrombin Receptor Reveals a Novel Proteolytic Mechanism of Receptor Activation," Cell 64:1057-1068; 89 Vu et al., (1991) "Domains Specifying Thrombin-Receptor Interaction," Nature 353:674-677; 90 91 Haas et al., (1996) "Codon usage limitation in the expression of HIV-1 envelope glycoprotein," Curr. Biol. 6:315-324; Zolotukhin et al., (1996) "A 'Humanized' Green Fluorescent Protein cDNA Adapted for High-Level Expression in Mammalian Cells," J. Virol. 70:4646-4654; 92 Tao and Levy, (1993) "Idiotype/granulocyte-macrophage colony-stimulating factor fusion protein as a vaccine for B-cell lymphoma," Nature 362:755-758; 93 Chen et al., (1994) "Idiotype-Cytokine Fusion Proteins as Cancer Vaccines: Relative Efficacy of IL-2, IL-4, and Granulocyte-Macrophage Colony-Stimulating Factor," J. Immunol. 153:4775-4787; 94 95 Mehta-Damani et al., (1994) "Generation of Antigen-Specific CD8+ CTLs from Naive Precursors," J. Immunol. 153:996-1003; Takamizawa et al., (1995) "Cellular and Molecular Basis of Human γδ T Cell Activation: Role of Accessory Molecules in Alloactivation," J. Clin. Invest. 95:296-303; 96 Kane et al.," Use of a Cloned Multidrug Resistance Gene for Coamplification and Overprotection of Major Excreted Protein, a transformation-Regulated Secreted Acid Protease," Mol. Cell. Biol. 8:3316 (1988); 97 Cockett et al., "High Level Expression Of Tissue Inhibitor Of Metalloproteinases In Chinese Hamster Ovary Cells Using Glutamine Synthetase Gene Amplification, " Bio/Technology 8:662 (1990); 98 Bebbington, "Use of vectors based on gene amplification for the expression of cloned genes in mammalian cell," In: DNA Cloning 4, A Practical Approach, Glower and Hames, eds., Oxford University Press pp. 85-11 (1995); 99 Chiang and McConlogue, "Amplification and Expression of Heterologous Ornithine Decarboxylase in Chinese Hamster Ovary Cells," Mol. Cell. Biol. 8:764 (1988) 100 101 Reff et al., "Depletion of B Cells In Vivo by a Chimeric Mouse Human monoclonal Antibody to CD20," Blood 83:435 (1994);

Examiner: (
EXAMINER:

102 -LQ3

Initial eflation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Page and Sydenham, "High Level Expression of the Humanized Monoclonal Antibody Campath-1H in Chinese Hamster Ovary Cells," Bio/Technology 9:64 (1991);

Kim and Wold, "Stable Reduction of Thymidine Kinase Activity in Cells Expressing High Levels of Anti-Sense RNA," Cell 42:129 (1985);

Date Considered:

08

U.S. Department of Commerce Patent and Frademark Office

INFORMATION DISCLOSURE STATEME PAPPLICANT
(Use Several Sheets If Necessary) FORM PTO-1449 (Modified)

Attorney Docket No.: GENITOPE-06493

Serial No.: 09/925,192

Applicant: Dan W. Denney, Jr.

		(Use Several Sheets If Necessary)	replicance but w. benney, st.			
37 CFR § 1.98(b))		(Con Control of Contro	Filing Date: 08/09/2001	Group Art Unit: 1642		
		OTHER DOCUMENTS (Including Author, Title, De	ate, Relevant Pages, Place of Publication)			
CY	104	Gillies et al., "Expression Of Human Anti-Tetanus Toxoid Antibody in transfected Murine Myeloma Cells," Bio/Technology 7:799 (1989)				
	105	Wood et al., "High Level Synthesis of Immunoglobulins in Chinese Hamster Ovary Cells," J. Immunol. 145:3011 (1990)				
	106	Fouser et al., "High Level Expression Of A Chimeric Anti-Ganglioside GD2 Antibody: Genomic Kappa Sequences Improve Expression In CO And CHO Cells," Bio/Technology 10:1121 (1992)				
	107	Davis et al., "High Level Expression in Chinese Hamster Ovary Cells of Soluble Forms of CD4 T Lymphocyte Glycoprotein Including Glycosylation Variants," J. Biol.Chem. 265:10410 (1990)				
	108	Cartier et al., "Use of the Escherichia coli Gene for Asparagine Synthetase as a Selective Marker in a Shuttle Vector Capable of Dominant Transfection and Amplification in Animal Cells," Mol. Cell. Biol. 7:1623 (1987)				
	109	Cartier and Stanners, "Stable, high-level expression of a carcinoembryonic antigen-encoding cDNA after transfection and amplification with the dominant and selectable asparagine synthetase marker," Gene 95:223 (1990)				
	110	Nakatani et al., "Functional Expression of Human Monoclonal Antibody Genes Directed Against Pseudomonal Exotoxin A In Mouse Myeloma Cells," Bio/Technology 7:805 (1985)				
	111	Haagen, "Performance of CD3xCD19 bispecific monoclonal antibodies in B cell malignancy," Leukemia and Lymphoma 19:381-393 (1995)				
	112	Scheinberg, "Current applications of monoclonal antibodies for the therapy of hematopoetic cancers," Current Opinion in Immunology 3:679-684 (1991)				
	113	Andrulis et al., "Isolation and characterization of chinese hamster ovary cell mutants resistant to the amino acid analogue beta-aspahydroxamate," Somatic Cell Genetics 8:533-545 (1982)				
	114	Hawkins et al., "Idiotypic vaccination against human B-cell lymphoma. Rescue of variable region gene sequences from biopsy material for assembly as single-chain Fv personal vaccines," Blood 83:3297 (1994)				
	115	Stevenson et al., "Idiotypic DNA vaccines against B-cell lymphoma," Immunol. Rev. 145:211 (1995)				
	116	Tyler-Smith and Alderson, "Gene amplification in methotrexate-resistant mouse cells. I. DNA rearrangement accompanies dihydrofolate reductase gene amplification in a T-cell lymphoma," J. Mol. Biol. 153:203 (1981)				
	117	Stevenson et al., Annals New York Academy of Sciences, 772:				
	118	McCormick, et al. PNAS USA 1999 Jan; 96:703-708				
CY	119	Evans, et al., Q. J. Med. 1999; 92:29-307				
<u>-</u> -			<u></u>			
		<del>,</del>				
	İ					
		***************************************				
		)				
aminer:		bobl 6	Date Considered: 2/3/08	<u> </u>		